

MODIFICATIONS OF THE
ELDRA SHULTERBRANDT LONG TERM
HEALTH CARE
FACILITY ANNEX BUILDING
AT
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, VIRGIN ISLANDS

GRANT NO. D12AP00350 (VI-CIP-2012-4)

Hon. John P. deJongh, Jr.
Governor

Hon. Gregory R. Francis
Lieutenant Governor

Hon. Darice S. Plaskett, RN, MPA, FACHE
Commissioner of Health

Hon. Lynn A. Millin Maduro
Commissioner of Property & Procurement

Hon. Darryl A. Smalls, PE
Commissioner of Department of Public Works

PREPARED BY





Jaredian Design Group
Architects, Engineers and Planners

No. 33 Dronningens Gade- Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands
Telephone 340.777.1600 Fax 340.777.1601

LIST OF DRAWINGS

- 0.0 COVER SHEET
- L0.0 GENERAL NOTES
- L1.0 LANDSCAPE PLAN
- L2.0 LANDSCAPE DETAILS
- L2.1 LANDSCAPE DETAILS
- A1.0 PARTIAL PLANS
- A1.1 OVERALL ARCHITECTURAL FLOOR PLAN
- A1.2 OVERALL ARCHITECTURAL ROOF PLAN
- A2.1 DEMOLITION ARCHITECTURAL PLAN
- K1.1 OVERALL KITCHEN FLOOR PLAN
- K2.1 KITCHEN ENLARGED PLAN
- K3.1 ELECTRICAL ROUGH-IN PLANS
- K3.2 PLUMBING ROUGH-IN PLANS
- K4.1 SPECIAL CONDITIONS
- K4.2 SPECIAL CONDITIONS
- K4.3 SPECIAL CONDITIONS
- SP1.1 SOLAR PANELS ROOF LOCATION PLAN
- SP1.2 SOLAR PANELS ASSEMBLY WIRING ROOF PLAN
- SP1.3 SOLAR PANEL WIRING FIRST FLOOR AND BASEMENT PLAN
- SP1.4 SOLAR POWER NOTES, RISER CALC. AND SCHEDULES
- M0.1 HVAC NOTES, LEGEND AND SCHEDULES
- M0.2 HVAC DETAILS
- M1.1 HVAC OVERALL FLOOR PLAN
- M2.0 ROOF MECHANICAL PLAN
- M2.1 HVAC ENLARGED PLANS
- P0.1 PLUMBING NOTES AND LEGEND
- P1.1 PLUMBING OVERALL FLOOR PLAN
- P1.2 PLUMBING ROOF PLAN
- P2.1 PLUMBING ENLARGED PLANS #1
- P2.2 PLUMBING ENLARGED PLANS #2
- P3.1 PLUMBING ISOMETRICS
- P4.1 PLUMBING DETAILS
- E0.1 ELECTRICAL NOTES, PANEL SCHEDULES, LEGEND AND RISER
- E1.1 ELECTRICAL OVERALL FLOOR PLAN
- E1.2 ELECTRICAL OVERALL ROOF PLAN
- E2.1 ELECTRICAL ENLARGED PLANS #1
- E2.2 ELECTRICAL ENLARGED PLANS #2



[illegible]

[illegible]

CONSULTANTS



THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS MAY NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVITE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.


ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I

DATE:	6-4-14
DRAWN BY:	K.R.B
CHECKED BY:	K.R.B
APPROVED BY:	J.P.W.

PROJECT NO: 13-016B
CONTRACT NO:

SHEET NO: **L2.0**

**LANDSCAPE
DETAILS**



\\VIEW-SERVER\cad_files\13-016-ELDRA-SHULTERBRANDT FACILITY\ELDRA-CONDOCS ANNEX_B\ESA-L2.1.dwg 6/30/2014 4:24:18 AM, Adobe PDF

E

D

C

B

A

1

2

22 1/8"

71" (145-80)
95" (145-80)

5/8" DIA. STL. BAR

3/8" THK. PLUG-IN PLATE

5/4" SCH. 40 STL. PIPE (1.05 O.D.)

75" (145-80)
95" (145-80)

17"

22 1/8"

24 1/8"

8/16" # HOLES

1/2" x 3 3/4" 316 S.S. FLT. SKT. HD. CAP SCR. W/ NYLON LOCKNUT

DuMor, Inc. CAST LEG

NOTES:
1.) ALL STL. MEMBERS COATED W/ ZINC RICH EPOXY THEN FINISHED W/ POLYESTER POWDER COATING.
2.) 1/2" X 3 3/4" EXPANSION ANCHOR BOLTS PROVIDED.

LENGTH OPTIONS
■ 6' BENCH
□ 8' BENCH

DuMor, inc.
P.O. Box 142 Mifflintown, PA 17059-0142

1

2

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

779

780

781

782

783

784

785

786

787

788

789

790

791

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

810

811

812

813

814

815

816

817

818

819

820

821

822

823

824

825

826

827

828

829

830

831

832

833

834

835

836

837

838

839

840

841

842

843

844

845

846

847

848

849

850

851

852

853

854

855

856

857

858

859

860

861

862

863

864

865

866

867

868

869

870

871

872

873

874

875

876

877

878

879

880

881

882

883

884

885

886

887

888

889

890

891

892

893

894

895

896

897

898

899

900

901

902

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

920

921

922

923

924

925

926

927

928

929

930

931

932

933

934

935

936

937

938

939

940

941

942

943

944

945

946

947

948

949

950

951

952

953

954

955

956

957

958

959

960

961

962

963

964

965

966

967

968

969

970

971

972

973

974

975

976

977

978

979

980

981

982

983

984

985

986

987

988

989

990

991

992

993

994

995

996

997

998

999

1000

1001

1002

1003

1004

1005

1006

1007

1008

1009

1010

1011

1012

1013

1014

1015

1016

1017

1018

1019

1020

1021

1022

1023

1024

1025

1026

1027

1028

1029

1030

1031

1032

1033

1034

1035

1036

1037

1038

1039

1040

1041

1042

1043

1044

1045

1046

1047

1048

1049

1050

1051

1052

1053

1054

1055

1056

1057

1058

1059

1060

1061

1062

1063

1064

1065

1066

1067

1068

1069

1070

1071

1072

1073

1074

1075

1076

1077

1078

1079

1080

1081

1082

1083

1084

1085

1086

1087

1088

1089

1090

1091

1092

1093

1094

1095

1096

1097

1098

1099

1100

1101

1102

1103

1104

1105

1106

1107

1108

1109

1110

1111

1112

1113

1114

1115

1116

1117

1118

1119

1120

1121

1122

1123

1124

1125

1126

1127

1128

1129

1130

1131

1132

1133

1134

1135

1136

1137

1138

1139

1140

1141

1142

1143

1144

1145

1146

1147

1148

1149

1150

1151

1152

1153

1154

1155

1156

1157

1158

1159

1160

1161

1162

1163

1164

1165

1166

1167

1168

1169

1170

1171

1172

1173

1174

1175

1176

1177

1178

1179

1180

1181

1182

1183

1184

1185

1186

1187

1188

1189

1190

1191

1192

1193

1194

1195

1196

1197

1198

1199

1200

1201

1202

1203

1204

1205

1206

1207

1208

1209

1210

1211

1212

1213

1214

1215

1216

1217

1218

1219

1220

1221

1222

1223

1224

1225

1226

1227

1228

1229

1230

1231

1232

1233

1234

1235

1236

1237

1238

1239

1240

1241

1242

1243

1244

1245

1246

1247

1248

1249

1250

1251

1252

1253

1254

1255

1256

1257

1258

1259

1260

1261

1262

1263

1264

1265

1266

1267

1268

1269

1270

1271

1272

1273

1274

1275

1276

1277

1278

1279

1280

1281

1282

1283

1284

1285

1286

1287

1288

1289

1290

1291

1292

1293

1294

1295

1296

1297

1298

1299

1300

1301

1302

1303

1304

1305

1306

1307

1308

1309

1310

1311

1312

1313

1314

1315

1316

1317

1318

1319

1320

1321

1322

1323

1324

1325

1326

1327

1328

1329

1330

1331

1332

1333

1334

1335

1336

1337

1338

1339

1340

1341

1342

1343

1344

1345

1346

1347

1348

1349

1350

1351

1352

1353

1354

1355

1356

1357

1358

1359

1360

1361

1362

1363

1364

1365

1366

1367

1368

1369

1370

1371

1372

1373

1374

1375

1376

1377

1378

1379

1380

1381

1382

1383

1384

1385

1386

1387

1388

1389

1390

1391

1392

1393

1394

1395

1396

1397

1398

1399

1400

1401

1402

1403

1404

1405

1406

1407

1408

1409

1410

1411

1412

1413

1414

1415

1416

[illegible][illegible]

 **Jaredian Design Group**
Architects, Engineers, Construction Managers

No.33 Dronningens Gade - Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS MAY NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVITE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I

DATE: 6-4-14

DRAWN BY: K.R.B

CHECKED BY: K.R.B

APPROVED BY: J.P.W.


PROJECT NO: 13-016B


CONTRACT NO:


SHEET NO:

A1.0

FLOOR PLANS



[illegible]

[illegible]

[illegible]

CONSULTANTS

 **Jaredian Design Group**
Architects, Engineers, Construction Managers

No.33 Dronningens Gade - Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS MAY NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVIATE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I


DATE:	6-4-14
DRAWN BY:	L.C
CHECKED BY:	K.R.B
APPROVED BY:	J.P.W.


PROJECT NO: 13-016B

CONTRACT NO:

SHEET NO: **K2.1**

KITCHEN ENLARGED
PLANS



[illegible]

CONSULTANTS

 **Jaredian Design Group**
Architects, Engineers, Construction Managers

No.33 Dronningens Gade - Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1600
e-mail: jaredian2@vipowernet.net

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVITE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I

DATE: 6-4-14

DRAWN BY: L.C

CHECKED BY: K.R.B


APPROVED BY: J.P.W.

PROJECT NO: 13-016B

CONTRACT NO.:

SHEET NO: **K3.1**

ELECTRICAL ROUGH-IN PLAN



[illegible]





CONSULTANTS

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS MAY NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVOLVE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

PROJECT NO: 13-016B

CONTRACT NO:

A circular professional seal for John Woods, a Registered Architect. The outer ring contains the text "REGISTERED ARCHITECT" at the top and "VIRGIN ISLANDS" at the bottom, separated by two stars. The center of the seal contains the name "JOHN WOODS" and the number "457 A".

[illegible][illegible][illegible]

 **Jaredian Design Group**
Architects, Engineers, Construction Management

No.33 Dronningens Gade - Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL IN VITE CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I


DATE:	6-4-14
DRAWN BY:	L.C
CHECKED BY:	K.R.B
APPROVED BY:	J.P.W.



PROJECT NO: 13-016B

CONTRACT NO:

SHEET NO: **K4.2**

KITCHEN HOOD PLAN #2



[illegible][illegible]

 **Jaredian Design Group**
Architects, Engineers, Construction Management

No.33 Dronningens Gade - Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1600
e-mail: jaredian2@vip.power.net

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVOKE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.


ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I


DATE:	6-4-14
DRAWN BY:	L.C
CHECKED BY:	K.R.B
APPROVED BY:	J.P.W.

PROJECT NO: 13-016B

CONTRACT NO:

SHEET NO:
K4.3
KITCHEN EQUIPMENT
ELEVATIONS






- 4
MO.2




CONSULTANTS

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS MAY NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVITE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

SHEET NO:	M0.2
MECHANICAL DETAILS	



[illegible]

CONSULTANTS

 **Jaredian Design Group**
Architects, Engineers, Construction Managers

No.33 Dronningens Gade - Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS MAY NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVITE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.


ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I


DATE:	6-4-14
DRAWN BY:	L.C
CHECKED BY:	K.R.B
APPROVED BY:	J.P.W.

PROJECT NO: 13-016B
CONTRACT NO:


SHEET NO: **M2.0**

**ROOF MECHANICAL
PLAN**





1
M2.1 ENLARGED KITCHEN DEMOLITION MECHANICAL PLAN
SCALE: 1/4" = 1'-0"




3
M2.1

ENLARGED LAUNDRY MECHANICAL PLAN

SCALE: 1/4" = 1'-0"

- ## KEY NOTES
- ① EXISTING SUPPLY AIR DUCT TO REMAIN.
 - ② EXISTING RETURN AIR DUCT TO REMAIN.
 - ③ EXISTING BRANCH SUPPLY AIR DUCT AND ASSOCIATED CEILING AIR DIFFUSER TO REMAIN. AIR BALANCE TO CFM SHOWN.
 - ④ EXISTING BRANCH RETURN AIR DUCT AND ASSOCIATED CEILING AIR GRILLE TO REMAIN. AIR BALANCE TO CFM SHOWN.
 - ⑤ EXISTING BRANCH SUPPLY AIR DUCT AND ASSOCIATED CEILING AIR DIFFUSER TO BE REMOVED.
 - ⑥ EXISTING BRANCH RETURN AIR DUCT AND ASSOCIATED CEILING AIR DIFFUSER TO BE REMOVED.
 - ⑦ EXISTING EXHAUST AIR DUCT AND ASSOCIATED ROOF FAN TO BE REMOVED.
 - ⑧ NEW KITCHEN HOOD AND FIRE SUPPRESSION SYSTEM. REFER TO KITCHEN DRAWINGS.
 - ⑨ KITCHEN EXHAUST AIR DUCT CONNECTION TO HOOD COLLAR.
 - ⑩ KITCHEN MAKE UP AIR DUCT CONNECTION TO HOOD COLLAR(S).
 - ⑪ KITCHEN EXHAUST DUCT WITH FIREPROOF DUCT WRAP FIBER BLANKET INSULATION.
 - ⑫ REMOTE FIRE SUPPRESSION SYSTEM MANUAL PULL STATION.



2
M2.1

ENLARGED KITCHEN MECHANICAL PLAN

SCALE: 1/4" = 1'-0"

[illegible][illegible]

 **Jaredian Design Group**
Architects, Engineers, Construction Managers

No.33 Dronningens Gade - Queen's Quay
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net


THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS ARE NOT TO BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVIOLATE ANY CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

ELDRA SHULTERBRANDT ANNE
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I

DATE:	6-4-14
DRAWN BY:	L.C
CHECKED BY:	K.R.B
APPROVED BY:	J.P.W.

PROJECT NO:	13-016B
CONTRACT NO:	

SHEET NO:
M2.1
MECHANICAL
ENLARGED PLANS



[illegible][illegible]

 **Jaredian Design Group**
Architects, Engineers, Construction Managers

No.33 Dronningens Gade - Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS MAY NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVITE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I

DATE: 6-4-14

DRAWN BY: L.C

CHECKED BY: K.R.B


APPROVED BY: J.P.W.

PROJECT NO: 13-016B

CONTRACT NO:

SHEET NO: **P0.1**

**PLUMBING NOTES
& LEGEND**




PLUMBING GENERAL NOTES

1. PROVIDE ALL PLUMBING ITEMS INDICATED ON THE DRAWINGS, DESCRIBED HEREIN OR OTHERWISE REQUIRED FOR A COMPLETE AND PROPER INSTALLATION, INCLUDING:
 - A. PLUMBING FIXTURES, FITTINGS AND EQUIPMENT.
 - B. HOT AND COLD WATER SYSTEMS.
 - C. DRAIN WASTE AND VENT PIPING SYSTEMS.
 - D. INDIRECT WASTE PIPING, INCLUDING GALLS, VALVES, TRAPS, PIPING AND ACCESSORIES FOR ALL KITCHEN EQUIPMENT. SIZE PER EQUIPMENT REQUIREMENTS.
2. COMPLY WITH ALL APPLICABLE CODES, STANDARDS AND ORDINANCES, INCLUDING REQUIREMENTS OF INTERNATIONAL PLUMBING AND FUEL GAS AND AMENDMENTS.
3. THESE DRAWINGS AND SPECIFICATIONS REQUIRE A STANDARD DESIGN WHICH MUST BE VERIFIED OR MODIFIED FOR EACH APPLICATION. AS A MINIMUM, VERIFY ALL EQUIPMENT LOADS AND REQUIREMENTS, PIPE AND SERVICE SIZES, SITE CONDITIONS, LOCAL ORDINANCES AND CODES ETC.
4. COORDINATE WITH ALL TRADES AND VERIFY ALL EQUIPMENT ROUGH-IN ITEMS AND LOCATIONS WITH THE EQUIPMENT SUPPLIER OR CONTRACTOR. ALL RE-WORK AND CORRECTIONS REQUIRED DUE TO LACK OF COORDINATION SHALL BE THE CONTRACTOR'S RESPONSIBILITY, AND DONE AT NO COST TO THE OWNER.
5. SUBMIT SHOP DRAWINGS AND MATERIAL DATA SUBMITTALS FOR APPROVAL BEFORE INSTALLATION.
6. GREASE WASTE AND VENTS SHALL BE STANDARD WEIGHT
CAST IRON NO-HUB PER CISPI STANDARDS 301 AND 310, WITH STAINLESS STEEL ONE-PIECE NEOPRENE GASKETS. UNDER SLAB PIPING SHALL BE CAST IRON BELL AND MIGHT PIPING WITH NEOPRENE GASKETS OR A.B.I. "BEST" COUPLING, WHERE PERMITTED BY LOCAL AUTHORITY, APPROVED PVC OR ABS PLASTIC PIPE AND FITTINGS, PER ASTM D2661-89 OR D2665-89, MAY BE USED. ALL 3 COMPARTMENT SINKS, DISHWASHER MACHINE AND WORK TABLE WITH SINKS WASTE SHALL BE COPPER TUBE.
7. HOT AND COLD WATER AND INDIRECT WASTE PIPING: HARD-DRAWN COPPER ONE, TYPE "1", PER ASTM B88-88A, MADE UP WITH WROUGHT OR FORGED COPPER SWEAT FITTINGS. UNDER SLABS, TYPE "K" SOFT TEMPER COPPER TUBE WITHOUT JOINTS. SOLDER: LEAD-FREE, CANFIELD "100% WATERSAFE".
8. VALVES: USE PIPE SIZE VALVES, AS SHOWN BELOW:
 - A. GATE: MILWAUKEE 148 OR 149
 - B. CHECK: MILWAUKEE 509T OR 1509T
 - C. PRESSURE AND TEMPERATURE RELIEF VALVES: WATTS TYPE 100XL
9. FIXTURE TAILPIECES AND TRAPS FOR LAVATORIES AND SINKS SHALL BE BRASS TUBING, SEMI-CAST, OR CAST IRON; ALL BRASS TUBING SHALL BE 17 GAGE, CHROME PLATED.
10. ALL PIPE, HANGERS, CLAMPS AND CHANNELS SHALL BE ADEQUATELY SIZED TO CARRY PIPE LOADS AND PREVENT SAGGING.
11. INSULATE ALL HOT WATER PIPING WITH OWENS CORNING TYPE ASI/SSL-11 HEAVY DENSITY FIBER GLASS WITH ALL SERVICE JACKET; 1/2" FOR RUNOUTS UP TO 12"; 1" FOR OTHER PIPING 2" OR LESS IN DIAMETER. INSULATION SHALL HAVE A FLAME SPREAD RATINGS NOT TO EXCEED 25 AND A SMOKE DENSITY NOT TO EXCEED 50 WHEN TESTED IN ACCORDANCE WITH U.B.C. STANDARD 42-1.
12. UNLESS SHOWN OTHERWISE, PROVIDE UNIFORM PITCH OF AT LEAST 1/4 INCH PER FOOT FOR ALL HORIZONTAL DRAINAGE PIPING WITHIN THE BUILDING.
13. PROVIDE SHUT-OFF GATE VALVES AND UNIONS AT ALL WATER CONNECTIONS TO EQUIPMENT AND APPLIANCES. PROVIDE STOPS AND CHROME PLATED BRASS SUPPLIES AT ALL FIXTURES.
14. ISOLATE ALL DISSIMILAR METALS WITH "EPOC" DIELECTRIC UNIONS, EXCEPT FOR BRASS OR BRONZE VALVES WITH STEEL PIPE.
15. THOROUGHLY CLEAN ALL PIPING AND EQUIPMENT, REMOVING ALL DIRT, RUST, OIL AND PLASTER.
16. THE ENTIRE SYSTEM SHALL BE WARRANTED FOR A PERIOD OF ONE (1) YEAR BEGINNING WITH OWNER'S ACCEPTANCE OF THE WORK. ALL LABOR AND MATERIALS NECESSARY TO REPAIR OR REPLACE THE SYSTEM, OR PORTIONS THEREOF, DURING THAT TIME SHALL BE WARRANTED FOR A PERIOD OF ONE (1) YEAR FROM THE REPAIR OR REPLACEMENT.
17. PIPING SHALL BE IDENTIFIED AT LEAST EVERY 20 FT. WITH NAME AND FLOW DIRECTION WITH SNAP-ON PLASTIC PIPE MARKERS, ALL EQUIPMENT SHALL BE IDENTIFIED WITH ENGRAVED PLASTIC MARKERS.
18. GAS PIPING SHALL BE BLACK STEEL PIPE, OR GALVANIZED STEEL PIPE FOR PIPING EXPOSED TO THE WEATHER OR UNDERGROUND, SCHEDULE 40 ASTM 53 FOR PIPES UP TO 2" DIAMETER WITH STANDARD WEIGHT MELLEABLE THREADED FITTINGS ANSI B16.3, A 53 GRADE 2-1/2" DIAMETER AND LARGER WITH STANDARD WEIGHT BLACK STEEL WELDING FITTINGS ANSI 16.5.

PLUMBING LEGEND

	G	GAS LINE
	GW	GREASE WASTE
	SAN	EXISTING SANITARY
	SAN	SAN/WASTE ABOVE SLAB
	SAN	SAN/WASTE BELOW SLAB
	V	VENT LINE
	CD	CONDENSATE DRAIN LINE
	GV	GATE VALVE
	CW	COLD WATER LINE
	HW	HOT WATER LINE
	HWR	HOT WATER RETURN LINE
	V	VALVES
	CV	CHECK VALVE
		BUTTERFLY OR BALL VALVE
		PRESS & TEMP. RELIEF VALVE
	WHA	WATER HAMMER ARRESTOR
	CO	CLEAN-OUT PLUG
	WCO	WALL CLEAN-OUT
	GV	GAS VALVE
	FD	FLOOR DRAIN
	FCO	FLOOR CLEAN-OUT
	HD	HUB DRAIN
	FTD	FUNNEL TYPE FLOOR DRAIN
	FS	FLOOR SINK
	FT	FLOOR THROUGH
	CTE	CONNECT TO EXISTING
		FIELD VERIFY EXACT LOCATION.
	WH	HOSE BIBB WATER HYDRANT
		W/VACUUM BREAKER
	VTR	VENT THRU ROOF
	AP	ACCESS PANEL
	AHU	AIR HANDLING UNIT
	TH	THERMOMETER
	CO	CLEAN OUT
	WCO	WALL CLEAN OUT
	FCO	FLOOR CLEAN OUT
	COTO	CLEAN OUT TO GRADE
	TP	TRAP PRIMER (RESEALER)
	CIP	CAST IRON PIPE
	DIP	DUCTILE IRON PIPE
	UG	UNDER GROUND
	V	VENT
	HW	HOTWATER
	FL	FLOOR
	CW	COLDWATER
	SCW	SOFTER COLD WATER
	HWR	HOT WATER RETURN LINE
	AFF	ABOVE FINISH FLOOR



PLUMBING SCHEDULE		
ITEM NO	QTY	EQUIPMENT CATEGORY
P03	1	3/4" GAS CONN 191 MBTU + 18" AFF.
P04	1	3/4" GAS CONN 58 MBTU + 18" AFF.
P05	1	3/4" GAS CONN 90 MBTU + 18" AFF.
P09	1	1/2" HW. +18" AFF
P09A	1	1" I.WASTE TO FLOOR SINK
P10	1	1 1/2" CW.-HW. +18" AFF
P10A	1	1/2" WASTE +12" AFF
P15	1	1/2" CW. +48" AFF
P16	1	1/2" CW.-HW. +18" AFF
P16A	1	1 1/2" WASTE +12" AFF
P18	1	1/2" CW. +48" AFF
P28	1	1/2" CW. +18" AFF
P28A	1	1" I.WASTE TO FLOOR SINK
P30	3	3/4" GAS CONN 74 MBTU+18 AFF

CONTRACTOR SHALL REMOVE EXIST. WATER CLOSET
REINSTALL WITH NEW $\frac{3}{4}$ " Ø STAINLESS STEEL THREADED
RODS BOLTED THROUGH EXTERIOR MASONRY WALL,
ANCHORED WITH 3"X3" MINIMUM BEARING PLATE.
CONTRACTOR SHALL REMOVE EXISTING GYPSUM BELOW
WATER CLOSET CHANGE REPLACE WITH $\frac{3}{4}$ " PLYWOOD.
PLATE TO MATCH EXISTING

[illegible]

CONSULTANTS

 **Jaredian Design Group**
Architects, Engineers, Construction Managers

No.33 Dronningens Gade - Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS MAY NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVITE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I

DATE: 6-4-14

DRAWN BY: L.C


CHECKED BY: K.R.B


APPROVED BY: J.P.W.

PROJECT NO: 13-016B


CONTRACT NO:

SHEET NO.:
P2.2
PLUMBING ENLARGED
PLANS #2







1 WASTE PIPING ISOMETRIC
P3.1 N.T.S



2 WATER PIPING ISOMETRIC
P3.1 N.T.S



3 GAS PIPING ISOMETRIC
P3.1 N.T.S.



4
P3.1

EXISTING WATER CLOSET/ANCHOR DETAIL.
N.T.S.

[illegible][illegible]

 **Jaredian Design Group**
Architects, Engineers, Construction Managers

No.33 Dronningens Gade - Queen's Quay
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS ARE NOT TO BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVOLVE CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGE FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I

DATE: 6-4-14

DRAWN BY: L.C

CHECKED BY: K.R.B


APPROVED BY: J.P.W.







PROJECT NO: 13-016B

CONTRACT NO:

SHEET NO: P3.1

PLUMBING ISOMETRICS



[illegible][illegible]

 **Jaredian Design Group**
Architects, Engineers, Construction Management

No.33 Dronningens Gade - Queen's Quay
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVOLVE CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGE FOR ANY ERROR OR OMISSION CONTAINED THEREIN.


ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I

DATE:	6-4-14
DRAWN BY:	L.C
CHECKED BY:	K.R.B
APPROVED BY:	J.P.W.

PROJECT NO: 13-016B

CONTRACT NO:

SHEET NO:
P4.1
PLUMBING DETAILS



1. (GF) DENOTES GROUND FAULT TYPE CIRCUIT BREAKER-IN LIEU OF GFI BREAKER CONTRACTOR MAY USE GFI TYPE RECEPTACLE.
2. (▲) EQUIPMENT WITH DEMAND PER NEC 220.56.
3. (*) PROVIDE HACR TYPE BREAKER

FLUORESCENT LIGHT FIXTURE	
	WALL or CEILING MOUNTED EXIT LIGHT FIXTURE WITH BATTERY BACK-UP. ARROWS, NUMBER OF FACES AND MOUNTING AS REQUIRED TO INDICATE A CLEAN PATH TO EXIT.
	120/277 V., 20 AMP., SINGLE POLE LIGHT SWITCH.
	120/277V., 20 AMP., THREE WAY SWITCH.
	MANUAL MOTOR STARTER.
	ELECTRICAL PANEL
	FUSED DISCONNECT SWITCH SIZED PER EQUIPMENT NAMEPLATE.
	MAGNETIC MOTOR STARTER, PROVIDED BY MECHANICAL CONTRACTOR, INSTALLED BY ELECTRICAL CONTRACTOR.
	ELECTRIC MOTOR.
	EQUIPMENT CONNECTION WITH FLEXIBLE CONDUIT.
	20A., 120 V., QUADRUPLUX RECEPTACLE, TWO DUPLEX IN TWO BOX
	20 A., 120., V., DUPLEX RECEPTACLE, GROUNDING TYPE.
	CEILING OR WALL MOUNTED JUNCTION BOX.
	TELEPHONE OUTLET (4" SQ. J. BOX)
	FIRE ALARM HEAT DETECTOR COMPATIBLE WITH EXISTING SYSTEM.
	FIRE ALARM HORN/STROBE COMPATIBLE WITH EXISTING SYSTEM.
	EXISTING
	EXISTING TO BE REMOVED.
	EMERGENCY LIGHT

BASED ON 120/208V, 3Ø, 4W

EXISTING SWITCHGEAR "EMDP"	288.0 KVA
NEW PANEL "K" —————	<u>24.4 KVA</u>
	312.4 KVA

312.4KVA/3ØV = 867.8A

867.8A < EXISTING 3P-1200A MAIN

1. SYSTEM SHALL BE A CARTRIDGE CHEMICAL TYPE WHICH WILL PROVIDE AUTOMATIC FLOODING IN THE HOOD/DUCT AREA ABOVE FILTER BANKS IN ADDITION TO THE REQUIRED SURFACE FLOODING. SYSTEM SHALL BE U.L. LISTED, ANSUL R-102 OR APPROVED EQUAL.
2. NOZZLES SHALL BE SELF CLOSING TYPE CAPABLE OF PROVIDING VARIOUS STREAM PATTERNS.
3. AUTOMATIC FUEL SHUT-OFF ASSEMBLIES SHALL BE FURNISHED IN ACCORDANCE WITH NFPA 96 WITH ALL REQUIRED GAS VALVES OR MICRO-SWITCHES, CUTOFF RELAYS AND CONTRACTORS.
4. ALL EXPOSED PIPING AND FITTINGS TO BE CHROME PLATED.
5. ENTIRE ASSEMBLY AS PER NFPA 17, 17A, 96 AND AUTHORITY HAVING JURISDICTION.
6. AS MANUFACTURED BY ANSUL OR APPROVED EQUAL SHALL BE U.L. LISTED, ANSUL R-102 OR EQUAL.
7. VERIFY LOCATION OF MANUAL PULL STATION, HOOD FIRE SUPPRESSION CONTROL PANEL/CABINET AND AGENT STORAGE TANK(S) PRIOR TO INSTALLATION.

- A. KITCHEN SUPPLY AND EXHAUST FANS TO BE INTERLOCKED FOR SIMULTANEOUS OPERATION FOR EACH HOOD. SEE A/C DRAWINGS FOR EXACT LOCATIONS.
- B. CONTROL STATION TO MOUNT IN HOOD AS DIRECTED BY HOOD MANUFACTURER.
- C. PROVIDE INTERLOCKING WITH FIRE SUPPRESSION SYSTEM AND GAS SOLENOID VALVE AS REQUIRED FOR AUTOMATIC SHUT-OFF.
- D. SEE A/C DWGS. FOR EXACT HOOD SUPPLY/EXH. FAN LOCATIONS.

1. THE SYMBOL DENOTES KITCHEN EQUIPMENT ITEM AS REFERRED TO IN FOOD SERVICE CONSULTANT DRAWINGS.
2. ALL OUTLETS ON CONDUIT STUBS TO BE MOUNTED IN "FS" CONDUITS WITH SUITABLE GASKET COVERS. TERMINATES 3" A.F.F.
3. SPECIAL PURPOSE OUTLETS AND RECEPTACLES SHALL BE FURNISHED TO MATCH ATTACHMENT CORDS OR OTHERWISE THE REQUIREMENTS OF THE EQUIPMENT TO BE SERVED.
4. WHERE JUNCTION BOX IS SHOWN FOR EQUIPMENT CONNECTION, PROVIDE DIRECT CONNECTION OR MATCHING RECEPTACLE WHEN CORD AND PLUG IS PROVIDED WITH EQUIPMENT. WHEN EQUIPMENT REQUIRES CORD CONNECTION AND CORD IS NOT FURNISHED BY KITCHEN EQUIPMENT SUPPLIER, ELECTRICAL CONTRACTOR TO FURNISH 3 OR 4 WIRE CORDS OF THE RATING OF THE BRANCH CIRCUIT CONDUCTORS. ATTACHMENT CORDS AND RECEPTACLES SHALL BE NEMA APPROVED TYPE. BRANCH CIRCUIT RATING.
5. HEIGHT OF ALL OUTLETS TO BE VERIFIED WITH FOOD CONSULTANT DRAWINGS OR AS DIRECTED BY THE ARCHITECT.
6. PERMANENTLY CONNECTED KITCHEN EQUIPMENT NOT SUPPLIED WITH ON/OFF UNIT SWITCH (WHICH ARE PART OF APPLIANCE) TO SERVE AS A DISCONNECT MEANS, TO BE PROVIDED WITH ONE IN COMPLIANCE WITH N.E.C.
7. KITCHEN EXHAUST HOOD NOTES:

THE NATURE OF THIS CONTRACT INVOLVES THE REMODELING OF AN EXISTING KITCHEN AND THE CONTRACTOR SHALL VISIT THE SITE AND VERIFY EXACT LOCATION, QUANTITY, ACCESSIBILITY, ETC. OF EXISTING EQUIPMENT AND CONDITIONS AND COMPARE SAME WITH THE SPECIFICATIONS AND BE SATISFIED HIM/HERSELF OF THE CONDITIONS EXISTING PRIOR TO DELIVERING HIS/HER PROPOSAL. NO ADDITIONAL ALLOWANCE WILL BE MADE TO THE CONTRACTOR DUE TO HIS/HER NEGLIGENCE OR FAILURE TO COMPLY WITH THE SPECIFIED REQUIREMENTS.

IN EXISTING BUILDINGS, ALL ROOF AND SLAB PENETRATIONS MUST CONFORM TO LANDLORD'S STANDARD CRITERIA AND SHALL BE SUBJECT TO LANDLORD'S APPROVAL AS TO LOCATION AND CONSTRUCTION DETAILS. ROOFING AND/OR WEATHERPROOFING OF ANY INSTALLATION AND/OR PENETRATION MUST BE PERFORMED BY A CONTRACTOR AUTHORIZED BY THE LANDLORD. CONTRACTOR IS REQUIRED TO MAINTAIN FIRE RATING OF ALL WALL, FLOOR, OR ROOF PENETRATIONS.

CONTRACTOR IS HEREBY NOTIFIED THAT WORK TO BE PERFORMED UNDER THIS CONTRACT REQUIRES MODIFICATIONS OF EXISTING ELECTRICAL INSTALLATION WHICH IS IN USE WHICH WILL REQUIRE THAT ELECTRICAL POWER BE MAINTAINED. LIKEWISE, SOME WORK MAY NEED TO BE PERFORMED ON WEEK-ENDS OR AFTER HOURS. CONTRACTOR IS REQUIRED TO COORDINATE THESE REQUIREMENTS AND TAKE INTO CONSIDERATION IN HIS/HER BID ANY WORK WHICH MAY NEED TO BE PERFORMED ON WEEKENDS OR AFTER HOURS.

ANY WRITING INDICATED AS EXISTING IS BASED ON ORIGINAL CONTRACT DRAWINGS AND IS TO BE VERIFIED BY CONTRACTOR AT JOBSITE.

1. REMOVE EXISTING RECEPTABLES, TELEPHONE, SWITCHES, AND ANY ELECTRICAL DEVICES IN WALLS WHERE NEW KITCHEN EQUIPMENT IS GOING TO BE INSTALLED. PROVIDE ARCHITECT WITH AS-BUILT DRAWINGS OF FINAL INSTALLATION FOR RECORD PURPOSES. CONTRACTOR IS REQUIRED TO VISIT SITE AND BECOME FAMILIAR WITH THE EXISTING CONDITIONS PRIOR TO DETERMINING THE WORK THAT NEEDS TO BE ACCOMPLISHED AS PART OF HIS/HER BID.
2. THE WORK SHALL INCLUDE THE FURNISHING OF ALL MATERIALS, CUTTING, EXTENDING, CONNECTING, REPAIRING, ADAPTING, AND OTHER WORK INCIDENTAL HERETO, TOGETHER WITH NECESSARY INSTALLATION EQUIPMENT AS MAY BE NECESSARY TO SATISFY THE DEMOLITION PROGRAM. APPROVAL SHALL BE SECURED FROM THE LANDLORD/ARCHITECT PRIOR TO CUTTING/DRILLING ANY STRUCTURAL SUPPORT.
3. ALL BUILDING CONSTRUCTION AFFECTED BY THE REMOVAL, RELOCATION, INSTALLATION OF ANY PIECE OF EQUIPMENT SHALL BE REPAIRED AND FINISHED AS REQUIRED TO MATCH EXISTING CONDITIONS OR AS DIRECTED BY THE ARCHITECTURAL DRAWINGS, SPECIFICATIONS, OR OWNER'S REPRESENTATIVE.
4. WHEN ELECTRICAL DEVICES ARE BEING REMOVED, THE ELECTRICAL CONTRACTOR SHALL DISCONNECT THEM UP TO THE NEXT OUTLET TO REMAIN OR BACK TO THE PANELBOARD. IF EXISTING TO REMAIN OUTLETS ARE FED THROUGH OUTLETS BEING REMOVED, THE CIRCUIT SHALL BE REARRANGED TO MAINTAIN CIRCUIT CONTINUITY. WIRE SHALL BE REMOVED BACK TO SOURCE FROM INACCESSIBLE RACEWAYS NOT REUSED. INSTALL BLANK PLATES ON FLUSH GROUNDING AND GROUNDING BUS. PLATE COLOR SHALL MATCH ADJACENT SURFACE AS NEAR AS POSSIBLE IN FINISHED AREAS.
5. ALL ELECTRICAL EQUIPMENT SHALL BE REMOVED FROM STRUCTURE TO BE REMOVED. ACCESSIBLE RACEWAYS, WIRES, BOXES, SWITCHES, AND OTHER ELECTRICAL ITEMS ASSOCIATED WITH THIS WORK SHALL BE REMOVED IF NOT REQUIRED FOR NEW EQUIPMENT TO CONTINUE IN SERVICE.
6. ALL MATERIAL REMOVED SHALL BE DISPOSED OF AS DIRECTED BY OWNER.

1. FURNISH AND INSTALL ALL LABOR, MATERIAL, AND EQUIPMENT NECESSARY FOR NEW DEVICES TO BE CONNECTED TO EXISTING ADDRESSABLE FIRE ALARM SYSTEM WITH VOICE AS SPECIFIED HEREIN AND AS SHOWN ON THE ELECTRICAL DRAWINGS. THIS SYSTEM SHALL BE ZONED, ELECTRICALLY SUPERVISED, HAVE CLOSED CIRCUITS, AND SHALL BE CONNECTED, TESTED AND LEFT IN FIRST CLASS OPERATING CONDITION.
2. FIRE ALARM SYSTEM SHALL BE U.L. LISTED NFPA 72 APPROVED.
3. UPON ACTIVATION OF FIRE SIGNALING SYSTEM BY MANUAL STATION, THE FOLLOWING SHALL TAKE PLACE:
 - A. ENERGIZE ALARM SIGNALING DEVICES
 - B. SOUND AUDIBLE ALARMS AND FLASH VISUAL SIGNALS
 - C. ALERT LOCAL FIRE DEPARTMENT OR PROPRIETARY SYSTEM
 - D. CAUSE ZONE IN ALARM TO BE DISPLAYED ON THE ANNUNCIATOR
4. ALL WIRING AND CONDUIT SIZE SHALL BE IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATION, AND REQUIREMENTS OF NEC, LOCAL CODES AND NFPA IN NO CASE, SHALL THE WIRING BE SMALLER THAN #16.
5. ALL CONDUCTORS SHALL BE COOPER AND SHALL BE SIZED FOR A MAXIMUM LOSS OF 10% MINIMUM WIRE SIZE SHALL BE AS REQUIRED BY MANUFACTURER IN NO CASE, SHALL THE WIRING BE SMALLER THAN #16 F1PL CU IN 3/4 CONDUIT.
6. QUANTITY OF WIRES PER DEVICES SHALL BE AS REQUIRED BY MANUFACTURER.
7. SYSTEM TO BE POWER LIMITED.
8. VISUAL ALARMS PER ANSI A117.1,4.26, FBC AND ADA

[illegible]

CONSULTANTS

 Jaredian Design Group
Architects, Engineers, Construction Managers

No.33 Dronningens Gade - Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net


THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS MAY NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVITE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I

DATE:	6-4-14
DRAWN BY:	L.C
CHECKED BY:	K.R.B
APPROVED BY:	J.P.W.

PROJECT NO: 13-016B
CONTRACT NO:

SHEET NO:	E0.1
ELECTRICAL NOTES, PANEL SCHEDULE, LEGEND & RISER	





1/2" WITH WIRING TO
EXISTING FIRE ALARM PANEL

J. BOX FOR F/A CONNECTION.
EXISTING FIRE ALARM PANEL
SHALL MONITOR NEW FIRE
SUPPRESSION SYSTEM.

J-BOX FOR FIRE SUPPRESSION SYSTEM (EXACT
LOCATION AS DIRECTED BY KITCHEN CONSULTANT)
COMPLETE FIRE SUPPRESSION SYSTEM TO BE SUPPLIED
BY KITCHEN EQUIPMENT SUPPLIER. UPON ACTIVATION,
FIRE SUPPRESSION SYSTEM TO SHUT OFF HOOD SUPPLY
FAN AND COOKING EQUIPMENT BENEATH HOOD.
INTERCONNECT WITH GAS SOLENOID VALVE FOR
AUTOMATIC SHUT OFF.

3 ENLARGED KITCHEN POWER PLAN
E2.1 SCALE: 1/4" = 1'-0"

[illegible]

CONSULTANTS

 **Jaredian Design Group**
Architects, Engineers, Construction Managers

No.33 Dronningens Gade - Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net


THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS MAY NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVITE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I

DATE:	6-4-14
DRAWN BY:	L.C
CHECKED BY:	K.R.B
APPROVED BY:	J.P.W.

PROJECT NO: 13-016B
CONTRACT NO:

SHEET NO.: **E2.1**
ELECTRICAL
ENLARGED PLANS #1





ELECTRICAL EQUIPMENT SCHEDULE		
ITEM NO	QTY	EQUIPMENT CATEGORY
E00	5	120V/60HZ/1PH 20 AMPS +48" AFF (UTILITY)
E01	1	120V/60HZ/1PH 3 AMPS (1/2 HP.) +48" AFF
E08	1	120V/60HZ/1PH 10.0 AMPS (1/2 HP.) +48" AFF
E09	1	208V/60HZ/1PH 15.0 AMPS (3.5 KW.) +18" AFF
E12	1	120V/60HZ/1PH 5.0 AMPS +108" AFF
E12A	1	SEE CAPTIVE-AIRE ELECTRIC DIAGRAM
E13	1	120V/60HZ/1PH 4.7 AMPS (1/3 HP.) +12" AFF
E14	1	120V/60HZ/1PH 8.0 AMPS (1/2 HP.) +12" AFF
E15	1	120-240V/60HZ/1PH 26.0 AMPS (6.100 KW.) +48" AFF
E17	1	120V/60HZ/1PH 1.5 HP. +485" AFF
E18	1	120V/60HZ/1PH 14.8 AMPS (1.8 KW.) +48" AFF
E20	1	208V/60HZ/1PH 10.7 AMPS (2.2 KW.) +48" AFF
E22	1	120V/60HZ/1PH 4.0 AMPS (.475 KW.) +48" AFF
E27	1	120V/60HZ/1PH 9.0 AMPS .448" AFF
E28	1	120V/60HZ/1PH 6.0 AMPS (.650 KW.) +12" AFF
E30	1	120V/60HZ/1PH 15.0 AMPS. +12" AFF

[illegible]

CONSULTANTS

 **Jaredian Design Group**
Architects, Engineers, Construction Managers

No.33 Dronningens Gade - Queen's Quarter
Post Office Box 6218
St. Thomas, U.S. Virgin Islands 00804
telephone: 340.777.1600 fax: 340.777.1601
e-mail: jaredian2@vipowernet.net

THESE PLANS AND THE DESIGNS CONTAINED HEREIN ARE THE SOLE PROPERTY OF JAREDIAN DESIGN GROUP. THESE PLANS MAY NOT BE REPRODUCED WITHOUT THE WRITTEN PERMISSION OF JAREDIAN DESIGN GROUP. UNAUTHORIZED USE SHALL INVITE A CLAIM FOR COMPENSATION. THE USE BY ANY PERSON OR FIRM OF THESE PLANS OR ANY PART THEREOF SHALL NOT IN ANY WAY SUBJECT JAREDIAN DESIGN GROUP TO ANY COST OR DAMAGES FOR ANY ERROR OR OMISSION CONTAINED THEREIN.

ELDRA SHULTERBRANDT ANNEX
LONG TERM HEALTH CARE
REHABILITATION FACILITY
PARCEL 6A ANNA'S RETREAT
ST. THOMAS, U.S.V.I

DATE: 6-4-14

DRAWN BY: L.C

CHECKED BY: K.R.B

APPROVED BY: J.P.W.

PROJECT NO: 13-016B
CONTRACT NO:

SHEET NO: **E2.2**
ELECTRICAL
ENLARGED PLANS #2

