



Department of Property & Procurement

Government of the United States Virgin Islands

3274 ESTATE RICHMOND, CHRISTIANSTED, U. S. VIRGIN ISLANDS 00820

8201 SUB BASE, SUITE 4, ST. THOMAS, U. S. VIRGIN ISLANDS 00802

ST. CROIX MAIN OFFICE: 340.773.1561 | ST. THOMAS MAIN OFFICE: 340.774.0828

ST. CROIX FAX: 340.773.0986 | ST. THOMAS FAX: 340.777.9587

[HTTP://DPP.VI.GOV](http://DPP.VI.GOV)



AMENDMENT ONE (1)

August 29, 2018

TO:

SUBJECT: IFB061DPWC18 (C) Repairs to Estate All for the Better Residential Road, East End, St. Croix.

INSERT: New Bid Sheet dated Wednesday, August 29, 2018

DELETE: Old Bid Sheet dated Friday, August 10, 2018

All other terms and conditions remain the same.

A copy of this amendment must be returned with your bid.



**GOVERNMENT OF
THE VIRGIN ISLANDS OF THE UNITED STATES**

PUBLIC WORKS DEPARTMENT
6002 Estate Anna's Hope
Christiansted, St. Croix, V.I. 00820-4428

DIVISION OF ENGINEERING

Tel: (340) 773-1290
Fax: (340)773-6865

PROJECT:	Repairs to Estate All for the Better Residential Roads
DATE:	Wednesday, August 29, 2018
PREPARED BY:	Eran Flemming

Page 1 of 2

REVISED



Road Repairs to Estate All for the Better Residential Roads					
ITEM	DESCRIPTION OF WORK	QTY.	UNITS	UNIT PRICE	COST
ROAD NO. 1		LENGTH = 1,160 L.F		ROAD WIDTH = 20 L.F	
SECTION NO.1 - ASPHALT ROAD		LENGTH = 880FT		ROAD WIDTH = 20FT	
30301	Road Reconditioning (Grading & Patching)	8.80	Stations		
40101(A)	2" Asphalt Concrete Pavement, CL-"A" GR-"D" Type 1 - Smoothness	219	Tons		
	GR,-"D" Type 1 - Smoothness				
41202	Tack Coat, Grade RS1	235	GALLONS		
SECTION NO.2 - CONCRETE ROAD		LENGTH = 280 L.F		ROAD WIDTH = 20 L.F	
30301	Road Reconditioning (Grading)	2.8	Stations		
30101	Untreated Aggregate (1/4"-3/4" compacted crushed stone base 8" depth)	139	C.Y		
40101(A)	Structural concrete in place for roadway (280'x20'x8"thick). 3/8" rebars shall be utilized @10" O.C for slob	139	C.Y		
60801	Paved Waterway Type 4 (280'x 3' wide concrete swale), to include all forming, rebars and granular fill	94	S.Y		
ROAD NO. 2		LENGTH = 1,770 L.F		ROAD WIDTH = 20 L.F	

ROAD SECTION NO. 1		LENGTH = 1,535 L.F	ROAD WIDTH = 20 L.F		
30101	Granular Fill (1/4"-3/4" compacted crushed stone base 8" depth) for failed area of roadway (230'x20')	114	C.Y		
30301	Road Reconditioning (Grading & removal of old residue of asphalt and concrete from roadway)	15.35	Stations		
40101(A)	2" Asphalt Concrete Pavement, CL-"A" GR-"D" Type 1 - Smoothness	382	Tons		
41202	Tack Coat, Grade RS1	409	GALLONS		
60901	structural concrete for 2 low water crossing (20'x20'x6"), to include all forming, rebars and granular fill	90	S.Y		
ROAD SECTION NO. 2		LENGTH = 235 L.F	ROAD WIDTH = 20 L.F		
30101	Granular Fill (1/4"-3/4" compacted crushed stone base 8" depth) for failed area of roadway (235'x20'x8")	116	C.Y		
30301	Road Reconditioning (Grading & removal of old residue of asphalt and concrete from roadway)	2.35	Stations		
60801	Paved Waterway Type 4 (500'x3' wide concrete swale), to include all forming, rebars and granular fill	167	S.Y		
60901	structural concrete for road (235'x20'x8"), to include all forming, rebars and granular fill	116	C.Y		
15101	Mobilization	1	L.S		

TOTAL =====>

Duration of Project - 90 calendar days

Total cost for the project _____

Licensed Contractor _____

President of Company _____

Note: The undersigned Contractor acknowledges that the quantities included on the Bid Sheet are estimated values. It is the Contractor's responsibility to ascertain that the required material and quantities are included in the Bid Sheet in the event that there is a discrepancy between what the Contractor estimates is required to complete said project. Any discrepancies in values or material required must be identified at the time of the Pre-Bid meeting. Once the contract is executed, the Contractor will be required to complete the project based on selected bidder's contractual agreement cost.